


- NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILO OHM, M=MEG OHM)
  2. RESISTOR WATTAGES ARE 1/10W [1005] UNLESS OTHERWISE NOTED.
  3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=MICRO-MICRO FARAD)
  4. ALL CAPACITORS TEMPERATURE CHARACTERISTICS ARE [CH] (LESS THAN 1000PF) OR [B] (MORE THAN 1000PF) UNLESS OTHERWISE NOTED.
  5. CHIP CAPACITORS TYPE ARE [1005] AND RATED 50V UNLESS OTHERWISE NOTED.
  6. RESISTOR TOLERANCES ARE J UNLESS OTHERWISE NOTED.

DESIGN	05/08/18	UNIDEN No.	UB339Z/A
DRAWN BY	05/08/18	MODEL No.	UBC72XLT/AE72H
KUROKI	KUROKI	TITLE	MAIN ASS'Y SCHEMATIC DIAGRAM
CHECK BY	APPRO BY	DRAWING No.	E-12-
REV. No		UNIDEN CORP.	



- NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K-KILO OHM, M-MEG OHM)
  2. RESISTOR WATTAGES ARE 1/10W [1005] UNLESS OTHERWISE NOTED.
  3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P-MICRO-MICRO FARAD)
  4. ALL CAPACITORS TEMPERATURE CHARACTERISTICS ARE [CH] (LESS THAN 1000PF) OR [B] (MORE THAN 1000PF) UNLESS OTHERWISE NOTED.
  5. ALL CAPACITORS ARE RATED 50V UNLESS OTHERWISE NOTED.
  6. CHIP CAPACITORS TYPE ARE [1005] UNLESS OTHERWISE NOTED.
  7. RESISTOR TOLERANCES ARE J UNLESS OTHERWISE NOTED.

	UB339Z	UB339A
D311	LTST-S320KFKT-U	LTST-S320KSKT
D312	LTST-S320KFKT-U	LTST-S320KSKT
D313	LTST-S320KFKT-U	LTST-S320KSKT

DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
'05/0/10	'05/0/10	UB339Z/A	UBC72XLT/AE72H
KUROKI	KUROKI	TITLE KEY ASS'Y	SCHMATIC DIAGRAM
CHECK BY	APPRO. BY	DRAWING No.	E-12
REV. No		UNIDEN CORP.	