


- NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K=KILO OHM, M=MEG OHM)
 2. RESISTOR WATTAGES ARE 1/10W [1005] UNLESS OTHERWISE NOTED.
 3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P=MICRO-MICRO FARAD)
 4. ALL CAPACITORS TEMPERATURE CHARACTERISTICS ARE [CH] (LESS THAN 1000PF) OR [B] (MORE THAN 1000PF) UNLESS OTHERWISE NOTED.
 5. CHIP CAPACITORS TYPE ARE [1005] AND RATED 50V UNLESS OTHERWISE NOTED.
 6. RESISTOR TOLERANCES ARE J UNLESS OTHERWISE NOTED.

DESIGN	05/07/10	DRAWN BY	06/7/10	UNIDEN No.	UB340Z/A	MODEL No.	UC92XLT/AE92H
KUROKI	KUROKI	TITLE	MAIN ASS'Y SCHEMATIC DIAGRAM				
CHECK BY	APPRO BY	DRAWING No. E12-					
REV. No.	UNIDEN CORP.						

LM4879MMX/NOPB



- NOTES:
1. RESISTANCE VALUES ARE SHOWN IN OHMS UNLESS OTHERWISE NOTED. (K-KILO OHM, M-MEG OHM)
 2. RESISTOR WATTAGES ARE 1/10W [1005] UNLESS OTHERWISE NOTED.
 3. CAPACITANCE VALUES ARE INDICATED IN MICRO FARADS UNLESS OTHERWISE NOTED. (P-MICRO-MICRO FARAD)
 4. ALL CAPACITORS TEMPERATURE CHARACTERISTICS ARE [CH] (LESS THAN 1000PF) OR [B] (MORE THAN 1000PF) UNLESS OTHERWISE NOTED.
 5. ALL CAPACITORS ARE RATED 50V UNLESS OTHERWISE NOTED.
 6. CHIP CAPACITORS TYPE ARE [1005] UNLESS OTHERWISE NOTED.
 7. RESISTOR TOLERANCES ARE J UNLESS OTHERWISE NOTED.

	UB34BZ	UB34BA
D311	LTST-5320KFKT-U	LTST-5320K5KT
D312	LTST-5320KFKT-U	LTST-5320K5KT
D313	LTST-5320KFKT-U	LTST-5320K5KT

DESIGN	DRAWN BY	UNIDEN No.	MODEL No.
'05/7/19	'05/7/25	UB34BZ/A	UBC92XLT/AE92H
KUROKI	KUROKI	TITLE KEY ASS'Y SCHEMATIC DIAGRAM	
CHECK BY	APPRO BY	DRAWING No. E12-	
REV. No.	UNIDEN CORP.		